

SCIENTIFIC PUBLICATIONS

Bahar, B., Monahan, F.J., Moloney, A.P., Schmidt, O., McHugh, D.E. and Sweeney, T. (2006). Stability of gene transcripts in the post-mortem bovine skeletal muscle. (Abstract) *Proceedings of International Symposium on Animal Functional Genomics*, Michigan State University, USA, p16.

Black, A.D., Moot, D.J. and Lucas, R.J. (2006). Spring and autumn establishment of caucasian and white clovers with different sowing rates of perennial ryegrass. *Grass and Forage Science* 61, 430-441.

Black, A.D., Moot, D.J. and Lucas, R.J. (2006). Development and growth characteristics of caucasian and white clover seedlings, compared with perennial ryegrass. *Grass and Forage Science* 61, 442-453.

Black, A.D., Lucas, R.J. and Moot, D.J. (2006). Lamb liveweight gain on Kura clover-ryegrass and white clover-ryegrass swards at two levels of soil fertility. (Abstract) *40th North American Alfalfa Conference*, 1 page.

Black, A.D., Lucas, R.J. and Moot, D.J. (2006). Development of Kura clover and white clover seedlings compared with perennial ryegrass. (Abstract) *40th North American Alfalfa Conference*, 1 page.

Buckham, K., Burton, J.L., Earley, B. and Crowe, M.A. (2006). Gene expression changes in neutrophils of young bulls during truck transportation. (Abstract) *Journal of Dairy Science* 89, 1, 417.

Buckham, K.R., Xiao, L, Burton, J.L., Earley, B. and Crowe, M.A. (2006). cDNA microarray analysis of Neutrophil gene expression changes in young bulls. (Abstract) *Proceedings of 87th Annual Meeting of CRWAD*, p156.

Cangar, O, Leroy, T., Guarino, M., Fallon, R.J., Lenehan, J.J., Mee, J.F. and Berckmans, D. (2006). Model-based calving monitor using real time image analysis. (Abstract) *European Conference on Smart Systems*, p1-2.

Canger, O., Leroy, T., Guarino, M., Fallon, R.J., Lenehan, J.J. and Mee, J.F. (2006). Model based calving monitor using real time image analysis. In: *Book of Abstracts of the 4th International Workshop on Smart Sensors in Livestock Monitoring*, 22nd September, Gargano, Italy, p31-33.

Carton, O.T., Ryan, M.J., Gibbons, P., Mulqueen, J., Rodgers, M., Bartley, P., Johnston, P., Fenton, O. and Richards, K. (2006). Eutrophication from agricultural sources - effects of agricultural practices on nitrate leaching. *EPA 1-84095-216-4*

Conaghan, P., Cassler, M., O'Kiely, P. and Dowley, L. (2006). Potential use of fresh weight yield as an indirect selection method for dry matter yield in *Lolium perenne* L. (Abstract) *International Annual ASA and CSSA meeting* 73-1.

Costello, L.M., Diskin, M.G., Sreenan, J.M., Hynes, A.C. and Morris, D.G. (2006). Systemic progesterone and retinol-binding protein expression in the bovine uterus. In: *Proceedings of the British Society of Animal Science*, 27th March, York, UK, p150.

Crosson, P., O'Kiely, P., O'Mara, F.P. and Wallace, M. (2006). Investigating development options for Irish suckler beef producers using mathematical programming. *Journal of Farm Management* Vol. 12, No. 7, p369-383.

Crosson, P., O'Kiely, P., O'Mara, F.P. and Wallace, M. (2006). The development of a mathematical model to investigate Irish beef production systems. *Agricultural Systems* 89, (2/3), 349-370.

Publications List

Davis, G.H., Balakrishnan, L., Ross, I.K., Wilson, T., Galloway, S.M., Lumsden, B.M., Hanrahan, J.P., Mullen, M., Mao, X.Z., Wang, G.L., Zhao, Z.S., Zeng, Y.Q., Robinson, J.J., Mavrogenis, A.P., Papachristoforou, C., Peter, C., Baumung, R., Cardyn, P., Bo (2006). Investigation of the booroa (*FecB*) and inverdale (*FecX^L*) mutations in 21 prolific breeds and strains of sheep sampled in 13 countries. *Animal Reproduction Science* 92, 87-96.

Diskin, M.G., Murphy, J.J. and Sreenan, J.M. (2006). Embryo survival in dairy cows managed under pastoral conditions. *Animal Reproduction Science* 96:297.

Drennan, M.J. and Berry, D.P. (2006). Factors affecting body condition score, live weight and reproductive performance in spring-calving suckler cows. *Irish Journal of Agricultural & Food Research* 45, 25-38.

Drennan, M.J., McGee, M. and Moloney, A.P. (2006). The effect of cereal type and feeding frequency on intake, rumen fermentation, digestibility, growth and carcass traits of finishing steers offered a grass silage-based diet. *Irish Journal of Agricultural & Food Research* 45, 135-147.

Drennan, M.J. and McGee, M. (2006). Relationship of visual muscular and skeletal scores and scanned muscle measurements with carcass grades, composition and value of steers. (Abstract) *Book of Abstracts of the 57th Annual meeting of the EAAP*, p56.

Drennan, M.J., Keane, M.G. and Nolan, M. (2006). Relationship of carcass grades with carcass composition and value of steers. (Abstract) *Book of Abstracts of the 57th Annual meeting of the EAAP*, p54.

Dunne, P., O'Mara, F.P., Monahan, F.J. and Moloney, A.P. (2006). Changes in colour characteristics and pigmentation of subcutaneous adipose tissue and *m. longissimus dorsi* of heifers fed grass, grass silage or concentrate-based diets. *Meat Science* 74, 231-241.

Dunne, P., Rogalski, J., Childs, S., Monahan, F.J., Kenny, D.A. and Moloney, A.P. (2006). Supplementation of heifers with ruminally-protected polyunsaturated fatty acids: effects on colour stability of retail-packaged minced beef. In: *Proceedings of 52nd International Congress of Meat Science and Technology*, Dublin, p161-162.

Earley, B. and O'Riordan, E.G. (2006). Effects of transporting bulls at different space allowances on physiological, haematological and immunological responses to a 12-hour journey by road. *Irish Journal of Agricultural & Food Research* 45, 39-50.

Earley, B., Fisher, A.D. and O'Riordan, E.G. (2006). Effects of pre-transport fasting on the physiological responses of young cattle to 8-hour road transport. *Irish Journal of Agricultural & Food Research* 45, 51-60.

Earley, B. (2006). The effect of transport by road and sea on physiology, immunity, and behavior of beef cattle. (Abstract) *Journal of Dairy Science* 89, 1, 272.

Earley, B., McDonnell, B., Maguire, M., Prendiville, D.J., O'Riordan, E.G. and Crowe, M.A. (2006). Effect of 12 day sea transport from Ireland to the Lebanon on physiology, liveweight and temperature of bulls. (Abstract) *Proceedings of 87th Annual Meeting of CRWAD*, p117

Earley, B., Prendiville, D.J. and O'Riordan, E.G. (2006). Effect of transport for up to 24 hours followed by twenty four hours recovery on liveweight, physiological and haematological responses of bulls. (Abstract) *Journal of Dairy Science* 89, 1, 306.

Earley, B., Prendiville, D.J. and O'Riordan, E.G. (2006). Physiological, haematological and immunological responses of 9-month old bulls (250kg) to transport at two stocking densities on a 12 hour journey by road. (Abstract) *Journal of Dairy Science* 89, 1, 416.

Fair, S., Hanrahan, J.P., Donovan, A., Duffy, P., O'Meara, C.M., Lonergan, P. and Evans, A.C.O. (2006). Hormonal relationships during the periovulatory period among ewe breeds known to differ in fertility after cervical artificial insemination with frozen thawed semen. *Animal Reproduction Science* 97, 3-4: 284-294.

Fenwick, M.A., Fitzpatrick, R., Kenny, D.A., Diskin, M.G., Patton, J., Murphy, J.J. and Wathes, D.C. (2006). Interrelationships between negative energy balance (NEB) and IGF regulation in liver of lactating dairy cows. *Domestic Animal Endocrinology* (Available on line Nov. 2006; DOI: 10.1016/j.domaniend.2006.10.002).

Fenwick, M., Fitzpatrick, R., Kenny, D. and Wathes, D.C. (2006). IGF expression in bovine oviduct during negative energy balance. *In: Society for Reproduction and Fertility Conference*, 3rd July, University of Leeds, 33:53.

Fenwick, M.A., Morris, D.G., Kenny, D., Murphy, J., Fitzpatrick, R. and Wathes, D.C. (2006). Impaired fertility associated with negative energy balance in cows is accompanied by changes in hepatic gene expression of the insulin-like growth factor (IGF) family. *In: 7th International Ruminant Reproduction Symposium*, 1 August, Wellington, New Zealand, p39.

Fenwick, M.A., Wathes, D.C., Murphy, J. and Fitzpatrick, R. (2006). mRNA expression of the insulin like growth factor family members in the liver of lactating cows under milk and severe negative energy balance. *In: Proceedings of the British Society of Animal Science*, 27th March, York, UK, p18.

Good, B., Hanrahan, J.P., Crowley, B.A. and Mulcahy, G. (2006). Texel sheep are more resistant to natural nematode challenge than Suffolk sheep based on faecal egg count and nematode burden. *Veterinary Parasitology* 136, 317-327.

Guinan, L. M. (2005). Studies investigating the physical degradation of selected Irish hillsides: plant-herbivore interactions, digital photogrammetry and climate. *Ph. D. Thesis National University of Ireland*, Dublin, November 2005.

Gupta, S., Earley, B. and Crowe, M.A. (2006). Effect of 12-hour road transportation on physiological, immunological and haematological parameters in bulls housed at different space allowances. *The Veterinary Journal*, p605-616.

Gupta, S., Earley, B. and Crowe, M.A. (2006). Pituitary, adrenal, immune and performance responses of mature Holstein x Friesian bulls housed on slatted floors at various space allowances. *The Veterinary Journal*, p594-604.

Harrison, S.M., Zazzo, A., Bahar, B., Monahan, F.J., Moloney, A.P., Scrimgeour, C.M. and Schmidt, O. (2006). Hooves: A new tissue for high-resolution reconstruction of bovine dietary histories. (Abstract) *Proceedings of 5th International Conference on Applications of Stable Isotope Techniques to Ecological Studies*, Belfast, p165.

Haycock, H.L. (2006). Effects of GDF9 and BMP15 mutations in Cambridge ewes during seasonal anoestrus and the breeding season. *M.An.Sc Thesis*, National University of Ireland, Dublin.

Hickey, J.M., Calus, M.P.L., Cromie, A.R., Keane, M.G., Brophy, P. and Veerkamp, R.F. (2006). Accounting for heterogeneous variance components in multiple breed evaluations of beef traits in black and white cattle. *In: Proceedings of the World Congress of Genetics Applied to Livestock Production*, Belo Horizonte, Brazil, Session 24 -14.

Humphreys, J. and O'Kiely, P. (2006). Amount and quality of grass harvested for first-cut silage for differing spring-grazing frequencies of two mixtures of perennial ryegrass cultivars with contrasting heading date. *Grass and Forage Science* 61, Issue 1, p77.

Keady, T. and Hanrahan, J.P. (2006). Efficient sheep production in a subsidy free environment - Research from Athenry. *Irish Grassland Association* 40, 15-27.

Publications List

- Keane, M.G., Drennan, M.J. and Moloney, A.P. (2006). Comparison of supplementary concentrate levels with grass silage, separate or total mixed ration feeding, and duration of finishing in beef steers. *Livestock Science* 103, 169-180.
- Keane, M.G. (2006). Comparison of grazing management systems for calf and yearling steers. In: *Livestock Farming Systems*, EAAP Publication, No. 118, p385-387.
- Keane, M.G. (2006). Steer production from progeny of Friesian cows and Belgian Blue or Charolais bulls. *Book of Abstracts of the 57th Annual Meeting of the EAAP*, p38.
- Keane, M.G. (2006). Beef production from Holstein-Friesian, Montbeliarde and Norwegian Red young bulls. *Book of Abstracts of the 57th Annual meeting of the EAAP*, p332.
- Keane, M.G., Drennan, M.J. and Moloney, A.P. (2006). Comparison of supplementary concentrate levels with grass silage, separate or total mixed ration feeding, and duration of finishing in beef steers. *Livestock Science* 103, 169-180.
- Kenny, D.A., Kelly, J.P., Monahan, F.J. and Moloney, A.P. (2006). Effect of dietary fish and soya oil on muscle fatty acids in beef cattle. (Abstract) *Proceedings of 4th Euro Fed Lipid Congress*, Madrid, p260.
- Kijora, C., Peters, K.J., Keane, M.G. and Nardone, A. (2006). Animal Food Quality and Human Health - the animal science point of view. In: *Livestock Farming Systems*, EAAP Publication No. 118, p37-48.
- Klocke, M., Mundt, K., Idler, C., McEniry, J., O'Kiely, P. and Barth, S. (2006). Monitoring *Lactobacillus plantarum* in grass silages with the aid of 16S rDNA-based quantitative real-time PCR assays. *Systematic and Applied Microbiology* 29:49-58.
- Llewellyn, S., Fitzpatrick, R., Kenny, D.A., Murphy, J., Scaramuzzi, R.J. and Wathes, D.C. (2006). Effect of negative energy balance on the follicular insulin-like growth factor (IGF) system in the ovaries of postpartum dairy cows. *Reproduction* 133, 627-63.
- Llewellyn, S., Fitzpatrick, R., Kenny, D., Sheldon, M. and Wathes, D.C. (2006). Expression of the IGF system in the involuting bovine uterus. In: *Society for Reproduction and Fertility Conference*, 3rd July, University of Leeds, 33:53.
- Llewellyn, S., Fitzpatrick, R., Kenny, D.A., Scaramuzzi, R.J. and Wathes, D.C. (2006). Regulation of mRNA expression for the bovine ovarian IGF system in post partum negative energy balance. In: *7th International Ruminant Reproduction Symposium*, 1st August, Wellington, New Zealand.
- Llewellyn, S., Fitzpatrick, R., Kenny, D.A., Scaramuzzi, R.J. and Wathes, D.C. (2006). The effect of negative energy balance on expression of the ovarian insulin-like growth factor (IGF) system in the post partum dairy cow. In: *Proceedings of the British Society of Animal Science*, 27th March, York, UK, p17.
- Moloney, A.P. (2006). Reducing fats in raw meat. In: *Improving the fat content of foods* (C.Williams and J. Buttriss, eds.), Woodland Publishing, Cambridge, Chapter 13, 313-335.
- Moloney, A.P., Bahar, B., Schmidt, O., Monahan, F.J., O'Kiely, P. and Scrimgeour, C. (2006). Differentiation of beef according to the pre-slaughter diet of cattle using the stable isotope ratios of carbon and nitrogen. In: *Proceedings of 52nd International Congress of Meat Science and Technology*, Dublin, p665-666.
- Moloney, A.P. and Drennan, M.J. (2006). The influence of calf birth weight on selected beef quality characteristics. *Archiv. Fur Tierzucht Dummerstorf* 49, 68-71.

Monahan, F.J., Schmidt, O., Moloney, A.P., Dunne, P., Scrimgeour, C.M. and Begley, I.S. (2006). Temporal change in the carbon stable isotope ratios of beef following a change in ration composition. In: *Proceedings of 52nd International Congress of Meat Science and Technology*, Dublin, p667-668.

Morris, D.G. (2006). Effect of systemic progesterone concentration on the expression of progesterone-responsive genes in the bovine endometrium during the early luteal phase. *Reproduction Fertility Development* 18:573-583.

McDonnell, B., Earley, B., Maguire, M., Prendiville, D.J. and O'Riordan, E.G. (2006). Effect of 12 day sea transport from Ireland to the Lebanon on physiological, liveweight and temperature of bulls. *Book of Abstracts of the 57th Annual meeting of the EAAP*, p179.

McEniry, J., O'Kiely, P., Clipson, N.J.W., Forristal, P.D. and Doyle, E.M. (2006). Changes in bacterial community structure in a grass silage fermentation. (Abstract) In: *Proceedings of 11th International Symposium on Microbiol Ecology*, p304.

McGee, M. and Drennan, M.J. (2006). Maternal productivity of beef suckler cows with low and high residual feed intake. (Abstract) *Book of Abstracts of the 57th Annual meeting of the EAAP*, p329.

McGee, M., Drennan, M.J. and Caffrey, P.J. (2006). Effect of age and nutrient restriction pre partum on beef suckler cow serum immunoglobulin concentrations, colostrum yield, composition and immunoglobulin concentration and immune status of their progeny. *Irish Journal of Agricultural & Food Research* 45, 157-171.

McNeill, R.E., Diskin, M.G., Sreenan, J.M. and Morris, D.G. (2006). Associations between milk progesterone concentration on different days and with embryo survival during the early luteal phase in dairy cows. *Theriogenology*, 65:1435-41.

Nuernberg, K., Dannenberger, D., Scollan, N., Richardson, I., Moloney, A.P., De Smet, D. and Ender, K. (2006). Production of healthy and high quality beef. (Abstract) *Book of Abstracts of 57th Annual meeting of the EAAP*, p25.

Owens, D., McGee, M. and O'Mara, F.P. (2006). The effect of regrowth interval in spring and autumn on intake and rumen fermentation in beef cattle offered zero-grazed grass. (Abstract) *Journal of Animal Science* 84, 1, 376.

Owens, D., McGee, M., O'Kiely, P. and O'Mara, F.P. (2006). Intake, rumen fermentation and plasma metabolites in beef cattle offered grass silage, maize silage, whole-crop wheat or alkalage. In: *Proceedings of the British Society of Animal Science*, 27th March, York, UK, p149.

O'Brien, M., Nielsen, K.F., O'Kiely, P., Forristal, P.D., Fuller, H. and Frisvad, J.C. (2006). Mycotoxins and other secondary metabolites produced in vitro by *penicillium peneum frisvad* and *penicillium roqueforti thom* isolated from baled grass silage in Ireland. *Journal of Agricultural & Food Chemistry* 54: 9268-9276.

O'Brien, M., O'Kiely, P., Forristal, P.D. and Fuller, H.T. (2006). A note on sampling baled grass silage for fungal propagules. *Journal of Animal and Feed Science* 15, 305-311.

O'Grady, M.N., Maher, M., Troy, D.J., Moloney, A.P. and Kerry, J.P. (2006). An assessment of dietary supplementation with tea catechins and rosemary extract on the quality of fresh beef. *Meat Science* 73, 132-143.

O'Grady, M.N., Maher, M., Troy, D.J., Moloney, A.P. and Kerry, J.P. (2006). Dietary supplementation and addition of tea catechins: Assessment of the effects of catechin level and pH on antioxidant activity in fresh beef. In: *Proceedings of 52nd International Congress of Meat Science and Technology*, Dublin, p735-736.

Publications List

O'Kiely, P. and Pahlow, G. (2006). Responses in the ensilage characteristics of Aberdart and Fennama to the co-addition of sodium benzoate with *Lactobacillus Plantarum* at ensiling. In: *Proceedings of the British Grassland Society 8th Research Meeting*, 4-6 September, Royal Agric. Col, Grencaster, p71-72.

O'Kiely, P., O'Riordan, E.G. and Black, A.D. (2006). Red clover for silage: management impacts on yield and digestibility during the season after sowing. In: *Proceedings of the 21st General Meeting of the European Grassland Federation*, 3rd April, Badajoz, Spain, 11, 243-245.

Pang, W.P., Earley, B., Sweeney, T. and Crowe, M.A. (2006). Effect of carprofen administration during banding or burdizzo castration of bulls on plasma cortisol, in vitro interferon γ production, acute-phase proteins, feed intake, and growth. *Journal of Animal Science* Vol. 84 (2), 351-359.

Pang, W.Y., Earley, B., Prendiville, D.J., Maguire, M., Gath, V. and Crowe, M.A. (2006). Effect of banding and burdizzo castration on plasma testosterone and growth of bulls. *Book of Abstracts of the 57th Annual meeting of the EAAP*, p173.

Prendiville, D.J., Earley, B., Maguire, M. and O'Riordan, E.G. (2006). Effect of a 9-hr journey by road, a 12-hr rest period, a 9-hr road journey, followed by a 2-hr rest and a 9-hr road journey (9-12-9-2-9-h) on physiology and liveweight of bulls. *Book of Abstracts of the 57th Annual meeting of the EAAP*, p179

Raes, K., De Meulenaere, K., O'Kiely, P., De Smet, S. and Moloney, A.P. (2006). The potential of the fatty acid and alkane profile of subcutaneous fat as a traceability trait for beef cattle diets. (Abstract) *Proceedings of 4th Euro Fed Lipid Congress*, Madrid, p517.

Rogalski, J., Moreno, T., Dunne, P., Monahan, F.J., French, P and Moloney, A.P. (2006). Effect of accommodation system on colour and quality of longissimus dorsi and extensor carpi radialis muscles of steers. In: *Proceedings of 52nd International Congress of Meat Science and Technology*, Dublin, p97-98.

Scollan, N., Hocquette, J.F., Nuernberg, K., Dannenberger, D., Richardson, I. and Moloney, A.P. (2006). Innovations in beef production systems that enhance the nutritional and health value of beef lipids and their relationship with meat quality. *Meat Science* 74, 17-33.

Scott, L., McGee, P., Minihan, D, Sheridan, J.J., Earley, B. and Leonard, N. (2006). The characterisation of E.coli 0157:H7 isolates from cattle faeces and feedlot environment using PFGE. *Veterinary Microbiology* 114:(3-4), 331-6.

Scott, L., McGee, P., Sheridan, J.J., Earley, B. and Leonard, N. (2006). A comparison of the survival in feces and water of *Escherichia coli* 0157:H7 grown under laboratory conditions or obtained from cattle feces. *Journal of Food Protection* Vol. 69, Number 1, pp6-11 (6).

Scully, H (2006). An Evaluation of Earth-Banked Tanks for Slurry Storage. *Ph.D. Thesis National University of Ireland*.

Sweeney, T., Hanrahan, J.P. and O'Doherty, E. (2006). Is there a relationship between prion protein genotype and ovulation rate and litter size in sheep?. *Animal Reproduction Science* (in press).

Weldon, B.A., Black, A.D. and Laidlaw, A.S. (2006). Effects of stocking rate of weanling cattle grazing during winter on sward damage and spring regrowth. In: *Proceedings of the British Grassland Society 8th Research Conference*, 4th September, Cinencester, England, 8, 105-106.

Weldon, B.A., Black, A.D. and Laidlaw, A.S. (2006). Alternatives to conventional feeding systems for beef production in Ireland. In: *Proceedings of the 21st General Meeting of the European Grassland Federation*, 3rd April, Badajoz, Spain, 11, 197-199.

Research Report 2006

Wicks, H.W.F., Fallon, R.J., Dawson, L.E.R., Brown, A. and Twigge, J. (2006). Effect of increasing milk replacer crude protein content and feeding level on nitrogen output by bull calves pre-weaning. In: *Proceedings of the British Society of Animal Science*, York, UK, 27th March, p137.

Wicks, H.W.F., Fallon, R.J., Twigge, J., Dawson, L.E.R. and Brown, A. (2006). Effect of increasing milk replacer crude protein content and feeding level on heifer calf performance pre-weaning. In: *Proceedings of the British Society of Animal Science*, York, UK, 27th March, p68.

Zazzo, A., Harrison, S., Bahar, B., Moloney, A.P., Monahan, F.J., Scrimgeour, C.M. and Schmidt, O. (2006). Daisy, what did you eat when we weren't looking. (Abstract) *Proceedings of 5th International Conference on Applications of Stable Isotope Techniques to Ecological Studies*, Belfast, p10.