

The ripping harrow is made up of three rows of very strong tines. The front row of tines have a 12mm tip similar to the guttler tines, while the second and third row have 80mm x 10mm tines with furrow cracker forks at the tip of the tines. The harrow gives a shallow till of the soil and creates a nice seedbed on the topsoil. Seed is broadcast fully by the precision air seeder and is pressed down by the Güttnler prismatic roller. The key to successful reseeding with the Güttnler system is preparation before seeding and management after seeding, It is best to enter a field that has been burnt off and there is not too much trash present. If entering a field that has not been burnt off, then usually only hybrid grasses can compete so it is recommended to spray off old existing swards. This non-spray method suits for rejuvenating medium term leys rather than very old pastures. Some farmers with high stocking rates, who cannot afford a long turnaround between seeding and grazing, find not burning off the land a safer option. The high stocking rate leaves them in a position to manage the reseed aftersowing better because they will keep it grazed down tight. The Güttnler system is suitable for periods of broken weather. It costs €55 approx per acre for one run of the Güttnler and ripping harrow.



Unidrill

This is a useful method because of the quick turnaround between sowing and grazing. The most common method used is to spray off silage with Roundup a week before cutting. Once the grass is cut and removed from the field, John moves in with the drill. Grass seed is drilled in at a rate of 12kg to 14kg per acre. It is better to spread lime on the reseeded field after sowing because any decaying matter from the old sward will leave the soil in an acidic state. The finer the lime is, the more accessible it will be to the soil and the quicker it should neutralise the pH of the soil. Grass seed can also be drilled into bare open pasture preferably after cutting or topping, where paddocks haven't been sprayed off. Again, the pH of the soil is important (ideally, 6.5). Any growth after completing the job should be grazed down tight after drilling until the new shoots start to appear. The Moore Unidrill has a single disc that cuts a slot in the soil. Alongside the disc, there is a seed tube which directs seed to fall into the slot left by the disc. The seed tube also doubles as a tine and creates some soil disturbance around the seed. A Güttler roller follows the operation and thumbs in the soil to allow greater soil seed contact. It works well on difficult ground and stony land is not a problem. It costs about €40 per acre to carry out the seeding.



Reseeding 2014	Comments
Tonnes of grass consumed by a cow per year	5.5 tonnes Dm/Cow
Number of times a paddock will be grazed each year	7-10 times
Paddock selection for reseed	Poor performing, poor yielding
When to reseed	Spring, as this gives better opportunity for post emergence spray for docks etc Swards get opportunity to thicken
Soil Test	Allow 2 months after slurry or chemical Phosphorus or Potash were used
Spraying off	Glyphosphate – dilution of the product properly, spray in calm, and dry conditions Leave 7-10 days May need a second spray if high % scutch
Select correct grass seed mix	Max 3-4 varieties Heading dates to be similar(within 7 days) Good Spring growth Late heading varieties/ some intermediates Essential they are on recommended list
Ratio of Tetraploids versus Diploids in a mix Tetraploids are open, more palatable & higher yielding Diploids are not as open and less palatable	40(tetraploids):60(diploids)
Seeding Rates	34kg/ha
Seed Bed	Fine and firm with very little trash
Lime recommendation	2 tonnes/acre
Fertiliser if soil tests are unknown	3 bags 10-10-20/acre
Fertiliser after seeds emerge	1 bag CAN/acre
Post emergence spray for seedling weeds important	Undersown spray product
Slug pellets	To be applied at sowing(5-9kg/acre) Do the fertiliser bag test first
Frit-Fly	Spray in high risk periods
Paddock cover to get grazed	500-700 kg Dm/ha (pull test)
Total approximate cost of reseed	€300/acre

Reseeding 2014

Group to be given this blank sheet(page 5) to complete blank column below

Page 1-4 can then be given to the group and discussed after columns are completed below

	Comments/Answers from group
Tonnes of grass consumed by a cow per year	
Number of times a paddock will be grazed each year	
Paddock selection for reseedling	
When to reseed	
Soil Test	
Spraying off	
Select correct grass seed mix	
Ratio of Tetraploids versus Diploids in a mix Tetraploids are open, more palatable & higher yielding Diploids are not as open and less palatable	
Seeding Rates	
Seed Bed	
Lime recommendation	
Fertiliser if soil tests are unknown	
Fertiliser after seeds emerge	
Post emergence spray for seedling weeds important	
Slug pellets	
Frit-Fly	
Paddock cover to get grazed	
Total approximate cost of reseedling	