

EXTENSION OF AUTHORISATION FOR MINOR USES (EAMU)

INSTRUCTIONS FOR USE

PPP: CeCeCe 750 (PCS No. 04736)

CROPS:

[Protected: Ornamentals & Forest nurseries]

For this EAMU the following crop definitions apply:

Forest nurseries includes: Includes Christmas tree nurseries.

Ornamentals includes: Flowers, foliage, woody, bulbs & seedlings.

This approval provides for the use of the product CeCeCe **750 (PCS No. 04736)** in respect of, the crops and situations as listed above, which are additional to those specified on the product label.

The conditions of application outlined below are statutory. They must be complied with when availing of this extension for minor uses.

The instructions provided in this extension for minor uses must be used in conjunction with information provided on the approved product label.

Failure to abide by the conditions of approval specified below or on the product label may constitute a breach of the product approval.

Reference Date: 09.07.20. [Includes latest changes. This version should be used until updated]

<i>Product name:</i>	<u>CeCeCe 750</u>
<i>Active Substance:</i>	Chlormequat chloride
<i>Formulation:</i>	750g/L SC
<i>Authorisation Holder:</i>	BASF plc
<i>Marketing Company:</i>	BASF Ireland Ltd
<i>PCS No:</i>	04736
<i>User type/Function:</i>	Professional Use Only / PGR.

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.

Application:

Crop	Max. single dose	Max. Number of applications	Max. Total dose	Minimum interval between applications	Latest time of application . PHI.	Target
[Protected crops of: Ornamentals & Forest nurseries]	0.5L/ha	2 per crop per year	1.0L/ha/year	n/a	48 days	PGR

Other specific restrictions:

- (1) To avoid risks to human health & the environment comply with the terms of this approval in conjunction with the directions for use on the product label.
- (2) For any individual crop the maximum total dose refers to the total dose of any product containing the same active ingredient.
- (3) Application may be made via: gantry, conventional hydraulic and knapsack sprayer only.
- (4) For operator protection refer to the product label but specifically workers must wear suitable protective gloves * when handling treated crops or contaminated surfaces within 48 days after treatment. *Meeting at least glove safety standard EN374-2:2003.
- (5) Treatment must only be made under 'permanent protection' situations which provide full enclosure (including continuous top and side barriers down to below ground level) and which are present and maintained over a number of years.
- (6) Application may not occur at times when the public have any access in the vicinity of the area of application.
- (7) For environmental information refer to the product label and specifically: To protect aquatic organisms respect an unsprayed buffer zone of 1m to surface water from gantry, conventional hydraulic and handheld sprayers. Direct spray away from water. Growers may be eligible to reduce the buffer zone under the PRCD STRIPE Scheme.
- (8) This approval extends to professional use only.
- (9) The seed or plant may not be used for human or animal feed.
- (10) Adverse effects: Approval holders must immediately submit any new information on the potentially dangerous effects of a product or residues of an active substance contained in a product, on human or animal health, or the environment.

Advisory information:

This approval relates to the use of CeCeCe 750 as a horticultural PGR for use on the above listed: crops, situations & controls. Growers are advised to test a small area of the crop first

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.

to ensure the application will not cause damage to the crop especially if the crop is under any stress.

Water volumes: Apply using up to 2500 L/water/ha.

IMPORTANT PLEASE NOTE:

Prior to the use of this product, growers should take advice from their crop advisors particularly in relation to the use of this product within an integrated crop management system of production.

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.