

EXTENSION OF AUTHORISATION FOR MINOR USES (EAMU)

INSTRUCTIONS FOR USE

PPP: FLiPPER (PCS No. 05027)

CROPS:

[Protected & outdoor grown crops of: Ornamentals & Forest nurseries]

For this EAMU the following crop definitions apply:

Forest nurseries includes: Includes Christmas tree nurseries.

Ornamentals includes: Flowers, foliage, woody, bulbs & seedlings.

This approval provides for the use of the product **FLiPPER (PCS No. 05027)** in respect of, the crops and situations as listed above, which are additional to those specified on the product label.

The conditions of application outlined below are statutory. They must be complied with when availing of this extension for minor uses.

The instructions provided in this extension for minor uses must be used in conjunction with information provided on the approved product label.

Failure to abide by the conditions of approval specified below or on the product label may constitute a breach of the product approval.

Reference Date: 07.07.20. [Includes latest changes. This version should be used until updated]

<i>Product name:</i>	FLiPPER
<i>Active Substance:</i>	Fatty acids (Potassium salts)
<i>Formulation:</i>	479.8g/L EW
<i>Authorisation Holder:</i>	Alpha Biopesticides limited
<i>Marketing Company:</i>	Alpha Biopesticides limited
<i>PCS No:</i>	05027

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.

User type/Function: Professional Use Only / Insecticide & acaricide.

Application:

Crop	Max. single dose	Max. Number of applications	Max. Total dose	Minimum interval between applications	Latest time of application. PHI.	Target
[Outdoor and protected crops of: Ornamentals & Forest nurseries]	10/L/ha	8 per/crop/year	80L/ha/yr	7 days	0 days	Aphid, whitefly, thrips, leaf hopper and spidermite.

Other specific restrictions:

- (1) To avoid risks to human health & the environment comply with the terms of this approval in conjunction with the directions for use on the product label.
- (2) For any individual crop the maximum total dose refers to the total dose of any product containing the same active ingredient.
- (3) Application may be made via: conventional hydraulic boom, broadcast air assisted, gantry and knapsack sprayer only.
- (4) Application must only be made between 1 March and 30 August when applying to crops grown outdoors and under temporary protection. A minimum interval of 7 days must be observed between applications and a minimum interval of 28 days must be observed between each block of 3 applications.
- (5) For operator protection refer to the product label in conjunction with the specific restrictions below.
- (6) Reasonable precautions must be taken to prevent access of birds, wild mammals and honeybees to treated crops.
- (7) Post application: Do not allow unprotected persons to enter treated areas until the crop is completely dry.
- (8) Unprotected workers may not handle treated material post application until the crop is dry and well vented.
- (9) Application may not occur at times when the public have any access in the vicinity of the area of application.
- (10) For environmental information refer to the product label and specifically: To protect aquatic organisms respect an unsprayed buffer zone of 1m to surface water from gantry and handheld sprayers, 20 meters for broadcast air assisted

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.

orchard sprayers & 10 meters from conventional hydraulic sprayers. Direct spray away from water. Growers may be eligible to reduce the buffer zone under the PRCD STRIPE Scheme.

- (11) This approval extends to professional use only.
- (12) The seed or plant may not be used for human or animal feed.
- (13) Adverse effects: Approval holders must immediately submit any new information on the potentially dangerous effects of a product or residues of an active substance contained in a product, on human or animal health, or the environment.

Advisory information:

This approval relates to the use of FLiPPER as a horticultural Insecticide for use on the above listed: crops, situations & controls. Growers are advised to test a small area of the crop first to ensure the application will not cause damage to the crop especially if the crop is under any stress.

Water volumes: Apply using 400 to 1600 L/water/ha.

Resistance management:

This product should be applied in accordance with an anti-resistance strategy. Control may be reduced if strains of the pathogen less sensitive to this active develop. Total reliance on one pesticide will hasten the development of resistance. Pesticides of different chemical types or alternative control measures should be included in the planned programme. Alternating pesticides with different modes of action is a recognised anti-resistance strategy and this product should always be used in conjunction with other products with a different mode of action / different cross-resistance group with satisfactory efficacy against the target. This product should not be used as the sole means of control.

FLiPPER contains Fatty acids (Potassium salts C14-C20)

IMPORTANT PLEASE NOTE:

Prior to the use of this product, growers should take advice from their crop advisors particularly in relation to the use of this product within an integrated crop management system of production.

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.