

**EXTENSION OF AUTHORISATION FOR MINOR USES (EAMU)**

**INSTRUCTIONS FOR USE**

**PPP: Apollo 50 SC (PCS No. 04610)**

CROPS: [Outdoor crops of: Flowers, foliage, woody ornamentals, bulbs, ornamental seedlings and forest nurseries]

For this EAMU the following crop definitions apply:

Forest nurseries includes: Christmas trees.

This approval provides for the use of the product **Apollo 50 SC (PCS No. 04610)** in respect of, the crops and situations as listed above, which are extra to those specified on the product label.

The conditions of application outlined below are statutory. They must be complied with when availing of this extension for minor uses.

The instructions provided in this extension for minor uses must be used in conjunction with information provided on the approved product label.

Failure to abide by the conditions of approval specified below or on the product label may constitute a breach of the product approval.

**Reference Date: 27.02.17.** [Includes latest changes. This version should be used until updated]

<i>Product name:</i>	Apollo 50 SC
<i>Active Substance:</i>	Clofentezine
<i>Formulation:</i>	500g/l SC
<i>Authorisation Holder:</i>	Adama Agricultural Solutions UK Ltd
<i>Marketing Company:</i>	Adama Agricultural Solutions UK Ltd
<i>PCS No:</i>	04610
<i>User type/Function:</i>	Professional Use Only / Acaricide.

*There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.*

*Application:*

Crop	Max. individual dose	Max. number of applications	Max. total dose	Minimum interval between applications	Latest time of application	Target
[Outdoor crops of: Flowers, foliage, woody ornamentals, bulbs, ornamental seedlings and forest nurseries]	0.4 l/ha	One per year	0.4 l/ha	n/a	45 days before harvest	Red spider mite

*Other specific restrictions:*

- (1) To avoid risks to human health & the environment comply with the terms of this approval in conjunction with the directions for use on the product label.
- (2) For any individual crop the maximum total dose refers to the total dose of any product containing the same active ingredient.
- (3) Application by tractor mounted/trailed/air assisted or orchard blast sprayer only.
- (4) Post application, do not allow unprotected persons to enter treated areas until the crop is completely dry & has been well ventilated.
- (5) The maximum spray concentration must not exceed 0.4 litres of product in 800 litres of water.
- (6) The Pre harvest interval also applies to unprotected workers handling treated crops. That is for example: if the PHI is 2 days then unprotected workers may not handle treated material for 2 days post application.
- (7) Spraying may not occur at times when the public have any access to the vicinity of application.
- (8) The seed or plant material may not be used for human or animal feed.
- (9) For environmental information refer to the product label but specifically: To protect aquatic organisms respect an unsprayed buffer zone of 1m to surface water bodies from tractor mounted/trailed/orchard blast sprayers. Aim spray away from water. Growers may be eligible to reduce the buffer zone under the PRCD STRIPE Scheme.
- (10) This approval extends to professional use only.  
For operator protection refer to the product label in conjunction with the specific restrictions above.
- (11) Adverse effects: Approval holders must immediately submit any new information on the potentially dangerous effects of a product or residues of an active substance contained in a product, on human or animal health, or the environment.

*There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.*

*Advisory information:*

This approval relates to the use of Apollo 50 SC as a horticultural acaricide for the control red spider mite on the crops & situations listed above.

Resistance Management:

Use Apollo 50 SC as part of an Integrated Crop Management (ICM) strategy.

Total reliance on one pesticide will hasten the development of resistance. Pesticides of different chemical groups or alternative control measures should be included in the planned anti-resistance strategy. This product should be used in conjunction with other fungicides from different cross-resistant groups [different mode of action, IRAC group] with satisfactory efficacy against the target. Apollo contains Clofentezine IRAC class: 10A.

**IMPORTANT PLEASE NOTE:**

Prior to the use of this product, growers should take advice from their crop advisors particularly in relation to the use of this product within an integrated crop management system of production.

---

*There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.*