

EXTENSION OF AUTHORISATION FOR MINOR USES (EAMU)

INSTRUCTIONS FOR USE

PPP: Basagran SG (PCS No. 05192)

CROPS: [Outdoor grown crops of: leek & salad onion]

This approval provides for the use of the product **Basagran SG (PCS No. 05192)** in respect of, the crops and situations as listed above, which are extra to those specified on the product label.

The conditions of application outlined below are statutory. They must be complied with when availing of this extension for minor uses.

The instructions provided in this extension for minor uses must be used in conjunction with information provided on the approved product label.

Failure to abide by the conditions of approval specified below or on the product label may constitute a breach of the product approval.

Reference Date: 01.03.17. [Includes latest changes. This version should be used until updated]

<i>Product name:</i>	Basagran SCG
<i>Active Substance:</i>	Bentazone
<i>Formulation:</i>	870g/l SG
<i>Authorisation Holder:</i>	BASF plc
<i>Marketing Company:</i>	BASF Ireland Ltd.
<i>PCS No:</i>	05192
<i>User type/Function:</i>	Professional Use Only / herbicide.

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.

Application:

Crop	Max. individual dose	Max. Number of applications	Max. Total dose	Minimum interval between applications	Latest time of application	Target
[Outdoor grown crops of: leek]	0.40 kg/ha	2	0.80kg/ha	n/a	Before 3 rd true leaf stage	Weeds. [see advisory info]
[Outdoor grown crops of: salad onion]	0.550 kg/ha	2	1.10 kg/ha	7 days	21 days before harvest	Weeds. [see advisory info]

Other specific restrictions:

- (1) To avoid risks to human health & the environment comply with the terms of this approval in conjunction with the directions for use on the product label.
- (2) For any individual crop the maximum total dose refers to the total dose of any product containing the same active ingredient.
- (3) Application may only be made using a tractor mounted/trailer including air assisted sprayers only. Note application by handheld sprayer is NOT allowed.
- (4) Post application no unprotected person should enter the treated area until the application had dried & the area has been well ventilated.
- (5) This approval extends to professional use only.
- (6) For environmental information refer to the product label but specifically: To protect aquatic organisms respect an unsprayed buffer zone of 1m to surface water bodies from tractor mounted/trailed/air assisted sprayers. Aim spray away from water. Growers may be eligible to reduce the buffer zone under the PRCD STRIPE Scheme.
- (7) For operator protection refer to the product label.
- (8) Adverse effects: Approval holders must immediately submit any new information on the potentially dangerous effects of a product or residues of an active substance contained in a product, on human or animal health, or the environment.

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.

Advisory information:

This approval relates to the use of Basagran SG as a horticultural herbicide for the control of general weeds but specifically: fools parsley & common storksbill on the field leek & general weeds but specifically; groundsel, cleavers, oil seed rape & chickweed on salad onion.

Resistance Management:

Use Basagran SG as part of an Integrated Crop Management (ICM) strategy.

Total reliance on one pesticide will hasten the development of resistance. Pesticides of different chemical groups or alternative control measures should be included in the planned anti-resistance strategy. This product should be used in conjunction with other fungicides from different cross-resistant groups [different mode of action, HRAC group] with satisfactory efficacy against the target. Basagran SG contains bentazone, HRAC class: C3.

IMPORTANT PLEASE NOTE:

Prior to the use of this product, growers should take advice from their crop advisors particularly in relation to the use of this product within an integrated crop management system of production.

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.